

Maxillofacial Unit

Advice following Oral Surgery

Please Remember

- Take care until the numbness has worn off.
- Be careful not to bite your tongue, lips or cheeks.
- Avoid Spitting, rinsing and hot drinks / food for the next 24 hours.
- Avoid smoking and vaping for a minimum of the next 2 days. Smoking and vaping can dramatically increase the risk of poor healing, pain and infection.
- Healing is quicker if the wound is kept clean. To do this do not rinse today, but start tomorrow
 using warm salt water (one teaspoon of salt in half a glass/cup of water), rinsing gently after meals
 for the next week or so.

Bleeding

- This should be minimal after surgery, though blood-stained saliva in the mouth is totally normal for 48 hours after surgery. You may notice a red patch on your pillow the morning after surgery.
- Bleeding may start again if you disturb the wound, spitting or rinsing the mouth in the first 24 hours are common causes of bleeding.
- If bleeding starts again, make a firm pad by rolling a clean handkerchief or gauze. Dampen this
 with water or saline and place this over the area which is bleeding, bite firmly for 20 minutes
 without disturbing the pad.
- If bleeding continues after this, contact the department or your dentist. Out of hours contacts are below, alternatively call 111.
- Avoid alcohol, smoking and excessive exercise for 24 hours after surgery.

Swelling

It is quite normal to experience some swelling of the face after an operation in the mouth, this is usually worst one to two days after surgery, then resolves over the next 2-3 weeks. An ice pack held outside the mouth over the area in the first few hours after surgery may help reduce this.

Pain

Once the local anaesthetic wears off it is usual to feel discomfort.

Pain tends to be worse on the 2nd or 3rd day but gradually improves over a period of 10-14 days. Simple painkillers such as Paracetamol, Ibuprofen or Co-codamol (codeine and paracetamol) should control the pain. Avoid ibuprofen if you are asthmatic, have acid reflux or are currently also taking aspirin. If in doubt, ask your pharmacist for advice on what you can take.

If there is a sudden increase in pain after the first few days, this may indicate infection, in this case please contact the department.

Do not worry if you feel small fragments of bone. These are the edges of the tooth socket and will disappear as your mouth heals.

compassionate Care

Oral Hygiene

The next day, start using salt water mouth rinses. Repeat gently rinsing 4 or more times daily and especially after meals, this will help healing. Keep your teeth clean with gentle tooth brushing. Chlorhexidine (Corsodyl) mouthwash will help reduce plaque while tooth brushing is difficult.

Diet

Your mouth opening will be restricted for about a week. Eating softer food should be possible. Use your own discretion and gradually start eating normally according to your own pace.

Stitches

Sometimes stitches may be required. These usually dissolve in 7-10 days.

Please telephone if you have any problems or queries

Huddersfield Royal Infirmary

Maxillofacial Unit (01484) 355737 Secretary (01484) 343219

Out of Hours

Bradford Royal Infirmary (01274) 542200 and ask for Oral and Maxillofacial on call

Supporting Doctors and Dentists in Training

We train undergraduate and postgraduate medical and dental students.

This means that doctors and dentists in training may be a part of your care and treatment.

All trainees are supervised closely by a fully qualified clinician. Please speak to one of our team if you have any questions or would prefer not to have a trainee involved in your care.

Leaflet No: suent0013 v5 review date 6/27 page 2 of 3

If you have any comments about this leaflet or the service you have received you can contact:

Maxillofacial Unit Huddersfield Royal Infirmary Telephone (01484) 355737

www.cht.nhs.uk

If you would like this information in another format or language contact the above.

Potřebujete-li tyto informace v jiném formátu nebo jazyce, obraťte se prosím na výše uvedené oddělení

Jeżeli są Państwo zainteresowani otrzymaniem tych informacji w innym formacie lub wersji językowej, prosimy skontaktować się z nami, korzystając z ww. danych kontaktowych

ਰ ਤੁਸੀਂ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਹੋਰ ਪ੍ਰਾਰੂਪ ਜਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਲੈਣਾ ਚਾਹੁੰਦੇ ਹੋ, ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਉਪਰੋਕਤ ਵਿਭਚਾ ਵਿੱਚ ਸਾਡੇ ਨਾਲ ਸੰਪਰਕ ਕਰੋ।

اگر آپ کو سے معلومات کس اور فارم کے کا زبان می درکار ہوں، تو برائے مہربازی مندرجہ بالا شعبے می ہم سے رابطہ کری.

"إذا احتجت الحصول على هذه المعلومة بشكل مغاير أو مترجمة إلى لغة مختلفة فيرجى منك الاتصال بالقسم المذكور أعلاه"

