

Ophthalmology Department

Floaters and Flashes Posterior Vitreous Detachment (PVD)

You have been given this information sheet because the doctor has diagnosed posterior vitreous detachment (PVD).

When the normally transparent jelly (vitreous) that fills the back of the eye contains opacities they cast shadows on the retina (the light sensitive membrane lining the back of the eye), which are seen as strands or spots, cobwebs or insect-like images which drift across the vision. These are floaters, sometimes called muscae volitantes or flitting flies.

Floaters are not obvious all the time to most people but in bright light, when the pupil goes small, and against a pale background such as the sky, a pale wall or the page of a book they are most evident.

Many people have some floaters especially if they are short sighted when the jelly tends to be more fluid with strands in it. As people age the jelly naturally becomes more fluid in everyone. Sometimes the jelly develops watery spaces within it and collapses inward separating from the retina. When this happens, (posterior vitreous detachment or PVD), the person may experience a sudden shower of floaters and flashing lights, similar to a camera flash inside the eye, it is usually only in one eye. These are usually simply opaque strands where the jelly was attached to the back of the eye round the optic disc, the point of entry of the optic (sight) nerve. Often these floaters are oval, circular or C shaped.

Sometimes there is a small amount of bleeding which again presents as floaters. Blood can come from tiny blood vessels on the surface of the retina, in which case it is usually transient. The risk of having a tear after an acute PVD is between 10 - 15% and if there is an accompanying bleed in the jelly, the risk increases to 60 - 80%. The hole so formed can lead to a retinal detachment which is sight threatening so it is important that all people who experience a sudden onset of new floaters have a thorough examination by an ophthalmic specialist promptly.

If a hole is found before detachment of the retina occurs laser can be used in outpatients to seal it up which in the vast majority will preserve sight and prevent the need for an operation.

If the retina is examined and no hole is found there is a low chance of new holes forming which might lead to retinal detachment and we would not normally recommend further examinations.

However, if you should experience a sudden onset of new floaters or if part of your peripheral vision seems to be missing or dull you should be seen within 24 hours by an ophthalmologist.

The floaters following PVD usually become less evident with time but they will not disappear altogether. We do not offer treatment for removal of floaters except in exceptionally rare circumstances when they are visually incapacitating when an operation can be done to remove the jelly and floaters.

At the time of the initial vitreous detachment some people experience a single brief bright flash of light. Most people do not notice this.

After PVD it is very common for people to experience momentary silvery streaks of light at dusk or in darkness, particularly on eye movement. These often become less apparent over a few months but they have no sinister significance and therefore on their own do not warrant further specialist attention.

If you do continue to experience floaters for 6 months or more that significantly affect your quality of life, a discussion regarding surgery to remove the jelly in your eye can be discussed.

You can contact the Eye clinic (HRI and CRH) on - 01484 355085 from Monday to Friday (not bank holidays) 9am - 5pm or Saturday 9am - 12 noon

If it is an emergency out of hours, you can contact Ward 8C through the hospital switchboard at Calderdale Royal Hospital.

If you have any comments about this leaflet or the service you have received you can contact :

Sister, Ophthalmology Department

Acre Mills Outpatients Huddersfield
Telephone number: 01484 343235

Calderdale Royal Hospital
Telephone (01422) 222414

If you would like this information in another format or language contact the above.

Potřebujete-li tyto informace v jiném formátu nebo jazyce, obraťte se prosím na výše uvedené oddělení

Jeżeli są Państwo zainteresowani otrzymaniem tych informacji w innym formacie lub wersji językowej, prosimy skontaktować się z nami, korzystając z ww. danych kontaktowych

ਬ ਤੁਸੀਂ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਵੇਰ ਪ੍ਰਾਚੂਪ ਜਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਲੈਣਾ ਚਾਹੁੰਦੇ ਹੋ,
ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਉਪਰੋਕਤ ਵਿਭਾਗ ਵਿੱਚ ਸਾਡੇ ਨਾਲ ਸੰਪਰਕ ਕਰੋ।

اگر آپ کو یہ معلومات کسی اور فارمیٹ طرزبان میں درکار ہوں، تو
برائے مہربانی مندرجہ بالا شعبے میں ہم سے رابطہ کریں۔

"إذا احتجت الحصول على هذه المعلومة بشكل مغاير أو مترجمة إلى لغة مختلفة فيرجى منك الاتصال بالقسم المذكور أعلاه"